

974 Bethel Rd., Suite B

2526 London Groveport Rd.

Your Appointment is scheduled on:	:
~ ~ ~	

PLEASE READ CAREFULLY 48 HOURS BEFORE TESTING

An ENG (electronystagmography) or VNG (videonystagmography) test has been scheduled for you in an effort to assist your physician in determining the cause of your dizziness or imbalance. The ENG/VNG consists of a battery of tests that contribute information on the condition of your vestibular system.

The exam takes approximately one hour. You may experience brief episodes of dizziness during some portions of the test. As such, it is advised you arrange transportation should you be too dizzy to drive following testing.

Substances that affect the Central Nervous System (CNS) can influence your response to this test. You must refrain from **certain medications** and **ALL ALCOHOL** (beer, wine, and mixed drinks) for 48 hours before testing. Below is a <u>partial</u> list of the medications, on the second page is a more comprehensive list. If you have any questions about medications, please call our office for clarification.

Anti-dizziness (Antivert, Meclizine,

Scopolamine, Phenergan)

Antihistamines

Cold or Allergy medications

Sleeping pills

Depressants or antidepressants

Tranquilizers (Valium, Ativan, Xanax, etc.)

Prescription and nonprescription pain

medications

Diuretics (specifically prescribed for

dizziness or imbalance)

Narcotics

Herbal remedies (Ginkgo, Valerian, etc.)

Any medication you have taken consistently for 6 months, or off & on for 12 months, may be continued

DO NOT STOP TAKING LIFE SUSTAINING MEDICATIONS.

Please contact your prescribing physician should you have any reservations about discontinuing any medication.

<u>Please refrain from eating for 4 hours before testing</u>. If you are diabetic do not alter your current diet or diabetes medication regimen.

Please wear comfortable clothing. **Patients are prohibited from wearing any face creams/lotions or make-up** (foundation/cover-up, eyeliner, eye shadow, mascara and false eye lashes). Contact lenses are permissible. You may be asked to remove any earrings.

If the patient is under the age of 18, he or she must be accompanied by a parent or legal guardian. Children are not permitted in the exam room during testing. Children are not permitted to remain in the waiting area unless attended by a parent or legal guardian.

Please arrive early to your appointment to complete any necessary paperwork. Bring a detailed list of current medications (dosage, amount, frequency). We request you take care of any restroom needs before testing begins.

Failure to comply with these instructions will compromise test results and may result in your test being rescheduled for another day. Please notify the office within 24 hours if you cannot keep this appointment.

MEDICATIONS TO BE STOPPED 48 HOURS BEFORE ENG/VNG

This list is NOT all inclusive. If you have any questions regarding your medications, please call our office for verification at least 2 full days before testing.

Over-the-counter medications:

All allergy medications Cough syrups

All sleep aids Anti-itch creams containing antihistamines

All cold medications

Allergy Medications: Pain Medications: Dizziness/Nausea/

Allegra Darvocet Antidiarrheal Medications:

AlleRx Demerol Antivert Antihistamine sprays Dilaudid Atarax Astelin nasal spray Lortab Compazine Astepro nasal spray Morphine Dramamine Benadryl Oxycotin Meclizine Claritin Oxycodone Phenergan

Clarinex Paxicodone Scopolamine patch

Nolamine Percocet Zofran

Pataday eye drops Phrenilin

Patanese nasal spray Topamax Herbal Remedies:

Zyrtec Vicodin Ginkgo Wygesic Valerian

Zydone

Psychotherapeutic Agents, Antidepressants, Seizure Medications: *Consult your doctor before stopping any of the following medications:

Buspar Miltown Strattera Celexa Mirapex Tegretol Clorazil Neurontin Trazadone Triavi1 Concerta Paxil Depakote Valium Phenobarbital Dilantin Prozac Vivactil Wellbutrin **Elavil** Requip Haldol Ritalin Xanax Klonopin **Sedatives** Zoloft Librium Sinequan Zyprexa

Lithium Sleeping Medications

Mebaral Stelazine

Permitted medications

*The following medications will not affect testing and do not need to be discontinued:

Medications that treat/manage: Antibiotics

Heart Problems

Blood Pressure

Cholesterol

Hormone treatment

Birth control

Imitrex,

Thyroid conditions Asthma inhalers,

Diabetes Regular/plain Tylenol & Advil

Reflux

Kaopectate

Imodium

Pepto Bismol